

**TABLE 5.1**  
**VEGETATION OBSERVED AT THE SITE**  
**SCHOONER BAY, ABACO**

<b>Genus</b>	<b>Species</b>	<b>Common Name(s)</b>	<b>Location</b>
<i>Acacia</i>	<i>choriophylla</i>	Cinnecord	DBEF, DBES, D, PW
<i>Acrostichum</i>	<i>sp.</i>	Giant Leatherfern	BWW
<i>Agave</i>	<i>sisalana</i>	Sisal	BSH
<i>Ambrosia</i>	<i>hispida</i>	Sweet Bay	BSH, BSS
<i>Amyris</i>	<i>elemifera</i>	White Torch	DBEF, DBES
<i>Andropogon</i>	<i>virginicus</i>	Broom Sedge	D, BSH
<i>Ardisia</i>	<i>escallonioides</i>	Marlberry	DBEF
<i>Ateramnus</i>	<i>lucidus</i>	Crabwood	DBEF
<i>Avicennia</i>	<i>germinans</i>	Black Mangrove	BWW
<i>Baccharis</i>	<i>angustifolia</i>	False Willow	BWW, FMW
<i>Baccharis</i>	<i>halimifolia</i>	Grounsel	PW
<i>Bidens</i>	<i>alba</i>	Beggar's Tick	D, DBEF, PW
<i>Borrichia</i>	<i>frutescens</i>	Sea Ox-eye	BSS, BSH, RS
<i>Bouyeria</i>	<i>ovata</i>	Strong Back	DBEF, DBES, PW
<i>Bumelia</i>	<i>salicifolia</i>	Willow Busic	DBEF, DBES, PW
<i>Bursera</i>	<i>simaruba</i>	Gum-elemi	DBEF, DBES, PW
<i>Byrsonima</i>	<i>lucida</i>	Guanaberry	DBES, PW
<i>Caesalpinia</i>	<i>bahamensis</i>		D, PW
<i>Caesalpinia</i>	<i>sp.</i>	Nickerbean	D, DBEF
<i>Cakile</i>	<i>lanceolata</i>	Searocket	BSH
<i>Calliandra</i>	<i>formosa</i>		D, DBEF
<i>Calypttranthes</i>	<i>pallens</i>	Spicewood	DBEF
<i>Canavalia</i>	<i>rosea</i>	Bay Bean	BSH, BSS
<i>Canella</i>	<i>winterana</i>	Cinnamon Bark	DBEF
<i>Capsicum</i>	<i>annuum</i>	Bird Pepper	D
<i>Carica</i>	<i>papaya</i>	Papaya	D
<i>Casasia</i>	<i>clusiifolia</i>	Seven-year Apple	DBEF, BSS, RS
<i>Cassia</i>	<i>chapmanii</i>	Bahama Senna	D, DBES, PW
<i>Cassia</i>	<i>nictitans</i>		BSH
<i>Cassytha</i>	<i>filiformis</i>	Love Vine	DBES, D, PW, DBEF, BSS
<i>Casuarina</i>	<i>equisetifolia</i>	Australian Pine	BSH
<i>Cenchrus</i>	<i>incertus</i>	Sandbur	BSS, BSH

**TABLE 5.1**  
VEGETATION OBSERVED AT THE SITE  
SCHOONER BAY, ABACO

<b>Genus</b>	<b>Species</b>	<b>Common Name(s)</b>	<b>Location</b>
<i>Chamaesyce</i>	<i>mesembrianthemifolia</i>	Coast Spurge	BSH, BSS, RS
<i>Chiococca</i>	<i>alba</i>	Snowberry	DBEF
<i>Chrysobalanus</i>	<i>icaco</i>	Coco-plum	BWW, FMW, DBEF
<i>Cissus</i>	<i>sp.</i>		D
<i>Cladium</i>	<i>jamaicense</i>	Sawgrass	BWW, FMW
<i>Coccoloba</i>	<i>diversifolia</i>	Pigeon Plum	DBEF, DBES, PW
<i>Coccoloba</i>	<i>uvifera</i>	Sea Grape	DBEF, DBES, PW, RS, BSS
<i>Coccothrinax</i>	<i>argentata</i>	Silver Top	DBEF
<i>Cocos</i>	<i>nucifera</i>	Coconut palm	D, BSH
<i>Conocarpus</i>	<i>erectus</i>	Button Wood	BWW
<i>Conocarpus</i>	<i>erectus</i> var. <i>sericeus</i>	Silver Buttonwood	BWW
<i>Corchorus</i>	<i>hirsutus</i>	Woolly Corchorus, Woolly Booger	D, PW
<i>Cordia</i>	<i>bahamensis</i>	Cocobey	PW
<i>Cordia</i>	<i>sebestena</i>	Geiger Tree	DBEF
<i>Crossopetalum</i>	<i>rhacoma</i>	Poison Cherry	DBEF, DBES
<i>Crotalaria</i>	<i>pumila</i>	Low Rattlebox	D, PW
<i>Cynanchum</i>	<i>sp.</i>		DBEF, PW
<i>Dactyloctenium</i>	<i>aegyptium</i>	Crowfoot Grass	D
<i>Dichromena</i>	<i>colorata</i>	White-topped Sedge	D, DBEF, PW, BWW
<i>Drypetes</i>	<i>diversifolia</i>	Whitewood, Milkbark	DBEF, DBES
<i>Duranta</i>	<i>repens</i>	Golden Dewdrop	PW
<i>Echites</i>	<i>umbellata</i>	Devils Potato Root	DBEF, PW
<i>Emilia</i>	<i>fosbergii</i>	Purple Emilia	D
<i>Erithalis</i>	<i>fruticosa</i>	Black Torch	DBES, DBEF, BSS
<i>Ernodea</i>	<i>littoralis</i>	Common Ernodea	DBEF, PW, BSS
<i>Erythroxylum</i>	<i>rotundifolium</i>	Ratwood	DBEF
<i>Eugenia</i>	<i>axillaris</i>	Red Stopper	DBEF, DBES
<i>Eugenia</i>	<i>foetida</i>	Spanish Stopper	DBEF
<i>Eupatorium</i>	<i>capillifolium</i>	Dog Fennel	D, PW
<i>Eupatorium</i>	<i>lucayanum</i>		BSS
<i>Eupatorium</i>	<i>villosum</i>	Jackmada	D, PW

**TABLE 5.1**  
**VEGETATION OBSERVED AT THE SITE**  
**SCHOONER BAY, ABACO**

<b>Genus</b>	<b>Species</b>	<b>Common Name(s)</b>	<b>Location</b>
<i>Euphorbia</i>	<i>sp.</i>	Wild Poinsettia	PW
<i>Eustachys</i>	<i>petraea</i>	Finger Grass	D
<i>Exostema</i>	<i>caribaeum</i>	Princewood	PW
<i>Exothea</i>	<i>paniculata</i>	Inkwood	DBEF, PW
<i>Ficus</i>	<i>aurea</i>	Strangler Fig	D, DBES, PW
<i>Fimbristylis</i>	<i>spadicea</i>	Salt Marsh Fringe-rush	BWW, FMW
<i>Galactia</i>	<i>rudolphioides</i>	Red Milk Pea Vine	PW
<i>Galactia</i>	<i>sp.</i>		PW
<i>Guapira</i>	<i>discolor</i>	Narrow-leaved Blolly	DBEF, DBES
<i>Guapira</i>	<i>obtusata</i>	Broad-leaved Blolly	DBEF
<i>Guettarda</i>	<i>elliptica</i>	Velvet Seed	DBEF
<i>Guettarda</i>	<i>scabra</i>	Rough Velvetseed	DBEF, PW
<i>Helicteres</i>	<i>jamaicensis</i>	Cow-bush	D
<i>Hibiscus</i>	<i>tiliaceus</i>	Mahoe	BWW
<i>Hippomane</i>	<i>mancinella</i>	Manchineel	BWW
<i>Hymenocallis</i>	<i>arenicola</i>	Spider Lily	BSH, BSS
<i>Ilex</i>	<i>krugiana</i>		PW
<i>Ipomoea</i>	<i>indica</i>	Morning Glory	D, PW
<i>Ipomoea</i>	<i>microdactyla</i>		PW
<i>Ipomoea</i>	<i>pes-caprae</i>	Railroad Vine	BSH, BSS
<i>Iva</i>	<i>imbricata</i>	Beach Iva	BSH, BSS
<i>Jacquinia</i>	<i>keyensis</i>	Joe Wood	DBES, DBEF, BSS, RS
<i>Krugiodendron</i>	<i>ferreum</i>	Ironwood	DBEF
<i>Lantana</i>	<i>involucrata</i>	Wild Sage	D, DBES, PW
<i>Lasiacis</i>	<i>divaricata</i>	Wild Cane	D, DBEF
<i>Leucaena</i>	<i>leucocephala</i>	Jumbie, Jumbay	D, DBES, DBEF
<i>Lysiloma</i>	<i>latsisiliquum</i>	Wild Tamarind	DBEF
<i>Mallotonia</i>	<i>gnaphalodes</i>	Bay Lavender	BSS, RS
<i>Malvaviscus</i>	<i>arboreus</i>	Sagra's Malvaviscus	DBEF
<i>Mastichodendron</i>	<i>foetidissimum</i>	Mastic	DBEF, DBES
<i>Metopium</i>	<i>toxiferum</i>	Poisonwood	D, DBEF, DBES, PW
<i>Morinda</i>	<i>royoc</i>	Cheese Shrub	DBEF, PW
<i>Muhlenbergia</i>	<i>capillaris</i>	Purple Grass	BWW, FMW
<i>Myrica</i>	<i>cerifera</i>	Wax Myrtle	BWW, FMW
<i>Nectandra</i>	<i>coriacea</i>	Lancewood	DBEF, DBES

**TABLE 5.1**  
VEGETATION OBSERVED AT THE SITE  
SCHOONER BAY, ABACO

<b>Genus</b>	<b>Species</b>	<b>Common Name(s)</b>	<b>Location</b>
<i>Neobrcea</i>	<i>bahamensis</i>		PW
<i>Oeceoclades</i>	<i>maculata</i>	Spotted Ground Orchid	D, DBEF
<i>Panicum</i>	<i>amarulum</i>	Seabeach Grass	BSS, BSH
<i>Parthenocissus</i>	<i>quinquefolia</i>	Virginia Creeper	D, PW
<i>Passiflora</i>	<i>sp.</i>	Passion Flower	DBES, D
<i>Pera</i>	<i>bumeliifolia</i>	Ebony	DBEF
<i>Petitia</i>	<i>domingensis</i>	Bastard Stopper	D, DBES, PW
<i>Picramnia</i>	<i>pentandra</i>	Snake Root	DBEF
<i>Pinus</i>	<i>caribaea</i> var. <i>bahamensis</i>	Caribbean Pine	PW
<i>Piscidia</i>	<i>piscipula</i>	Jamaica Dogwood	DBEF, DBES, PW
<i>Pithecellobium</i>	<i>keyense</i>	Rams Horn	DBES, DBEF, PW
<i>Pluchea</i>	<i>symphytifolia</i>	Bushy Fleabane	D, PW
<i>Plumeria</i>	<i>obtusa</i>	Frangipani	DBEF
<i>Psychotria</i>	<i>ligustrifolia</i>	Smooth Wild Coffee	DBEF, D
<i>Psychotria</i>	<i>nervosa</i>	Wild Coffee	DBEF
<i>Pteridium</i>	<i>aquilinum</i>	Bracken Fern	PW, D
<i>Randia</i>	<i>aculeata</i>	White Indigo Berry	D, DBEF, DBES, PW
<i>Reynosia</i>	<i>septentrionalis</i>	Darling Plum	DBEF
<i>Rhachallis</i>	<i>americana</i>	Wild Thyme	RS
<i>Sabal</i>	<i>palmetto</i>	Sabal Palm	FMW
<i>Salmea</i>	<i>petrobioides</i>	Bushy Salmea	BSS, D
<i>Savia</i>	<i>bahamensis</i>	Maiden Bush	DBEF
<i>Scaevola</i>	<i>plumieri</i>	Black Ink Berry	BSS
<i>Scaevola</i>	<i>sericea</i>	Hawaiian Seagrape	BSS
<i>Schinus</i>	<i>terebinthifolius</i>	Brazilian Pepper	D, DBEF
<i>Sesuvium</i>	<i>portulacastrum</i>	Sea Purslane	BWW, FMW
<i>Setaria</i>	<i>sp.</i>	Foxtail Grass	D
<i>Simarouba</i>	<i>glauca</i>	Paradise Tree	DBEF
<i>Smilax</i>	<i>sp.</i>	Green-brier	D, DBES, DBEF
<i>Solanum</i>	<i>bahamense</i>	Cankerberr	D, DBES, DBEF
<i>Solanum</i>	<i>erianthum</i>	Wild Tobacco	D
<i>Sophora</i>	<i>tomentosa</i>	Coast Sophora	BSS
<i>Spartina</i>	<i>sp.</i>	Cord Grass	RS, BSH
<i>Sporobolus</i>	<i>virginicus</i>	Seashore Rush Grass	BWW, FMW, BSH
<i>Stachytarpheta</i>	<i>jamaicensis</i>	Blue Flower	D
<i>Suriana</i>	<i>maritima</i>	Bay Cedar	BSS, RS
<i>Swietenia</i>	<i>mahagoni</i>	Mahogany or Madiera	PW

**TABLE 5.1**  
**VEGETATION OBSERVED AT THE SITE**  
**SCHOONER BAY, ABACO**

<b>Genus</b>	<b>Species</b>	<b>Common Name(s)</b>	<b>Location</b>
<i>Tabebuia</i>	<i>bahamensis</i>	Five-finger	DBEF, DBES, PW
<i>Tetrazygia</i>	<i>bicolor</i>	Tetrazygia	DBES, PW
<i>Thouinia</i>	<i>discolor</i>	Quicksilver	DBES, PW
<i>Thrinax</i>	<i>morrissii</i>	Thatch Palm	DBEF, DBES
<i>Tillandsia</i>	<i>sp.</i>	Bromeliad	DBEF
<i>Tournefortia</i>	<i>volubilis</i>	Soldierbush	DBEF
<i>Trema</i>	<i>lamarckianum</i>	Trema	D, PW
<i>Turnera</i>	<i>ulmifolia</i>	Buttercup	D, PW
<i>Typha</i>	<i>domingensis</i>	Cattail	BWW
<i>Uniola</i>	<i>paniculata</i>	Sea Oats	BSH, BSS
<i>Urechites</i>	<i>lutea</i>	Catesby's Vine	DBEF, BSS
<i>Vallesia</i>	<i>antillana</i>	Pearl-berry	DBEF
<i>Vitis</i>	<i>munsoniana</i>	Wild Grape	D, PW
<i>Waltheria</i>	<i>indica</i>	Sleepy Morning	D
<i>Xylosoma</i>	<i>buxifolium</i>		PW
<i>Zanthoxylum</i>	<i>coriaceum</i>	Hercules Club	DBEF
<i>Zanthoxylum</i>	<i>fagara</i>	Wild Lime	DBES, DBEF

NOTES AND ABBREVIATIONS:

1. BWW = Buttonwood Woodland Wetland, RS = Rocky Shore, BSH = Beach Strand Herbland, BSS = Beach Strand Shrubland, DBES = Dry Broad-leaved Evergreen Shrubland, DBEF = Dry Broad-leaved Evergreen Forest, D = Disturbed, PW = Pine Woodland, FMW = Fringe-rush Marsh Wetland

Prepared by Bethell Environmental Ltd. From field surveys performed September 4 and 5, 16, and 17, 2006

